Main Features:

Communication in 6 riders, one rider can pair with 5 riders, and can choose which person of the group to talk at a time. real full duplex wireless communication in 6 riders by bluetooth system

Maximum talking range 1000 meters

Up to 120Km/h working speed

Up to 7 hours talking time

Safe auto-receiving cell phone calls

Advanced A2DP & EDR bluetooth profile

Stereo music/audio function(transmits from A2DP enabled cell phone/MP3/GPS)

Line in audio interface, can connect with any audio source

Wind noise DSP cancellation

Water-resistance, full weather

Introduction :

We will describe this communications kit as **6 R**(Riders) **M**(Multifunctional) **I** (Intercom)
This **6RMI** can either be used for rider or for pillion.
This **6RMI** can connect with three kinds of bluetooth devices: a bluetooth enabled cell phone, five **6RMI** (or: four riders and 1 pillion), an audio source which with a built in or a external audio bluetooth transmitter.

This **6RMI** is a multifunctional device for motorcyclists and skiers, it can be used:

1) **As a handfree bluetooth headset for cell phone calls**,
   while out riding, the auto answer feature of the internal Bluetooth profile enables safe automatic handfree answering of the phone call automatically. It also offers a call rejecting function.
   —**receive the cell phone calls even you do not need to press any button, you just need to rider your bike as normal**, the process of receiving call will be automatic, after ring on of the call about 5 seconds , it will receive the call automatically.
2) **As a two way wireless full duplex interphone in 6 riders or between rider & pillion**,



Any rider could choose one of 5 riders to talk at a time !

The maximum communication range over a high clear line of sight path can reach **1000m !**
(this maximum range is not guaranteed).
Typical effective range in city is approximately 700m. Please note that actual range will depend on weather conditions, terrain, presence of obstacles i.e. a large vehicle , buildings non line of sight etc.
Unlike a one-way walkie talkie, which is only half duplex i.e. it can not speak and listen simultaneously, the **6RMI** offers real-time talking like a normal telephone.
It can connect with 5 other riders or connect with anther rider and his/her pillion.
The rider can chose which person to talk with

The working speed can be up to 120Km/h !

3) As a wireless bluetooth stereo music receiver and speaker, this **6RMI** has **EDR** and **A2DP** profile , with EDR and A2DP profile it can offer another important function--- listening to stereo music from A2DP enabled cellphone,MP3.

4) As a bluetooth headset for receiving GPS navigation audio instructions (this GPS should have a built in bluetooth transmitter)

5) As the speakers of your MP3/GPS

If your MP3 or GPS is not Bluetooth transmitting enabled and you have not a Bluetooth AV dongle, this **6RMI** also offers another method of listening to the stereo music/audio info--- the simple wired method. Plug the audio source directly into the **6RMI** via the 2.5mm-3.5 mm stereo connection cable.

Components of retail box

Component	Parts Number
6RMI main part	**6RMI** -001
Clip for mounting the main unit	**6RMI** -002
Speakers & microphone & audio plug	**6RMI** -003
AC &USB Charger (AC110V-220V / DC OUTPUT 5V)	**6RMI** -004
2.5mm to 3.5mm audio adapter cable	**6RMI** -005
User manual	**6RMI** -006

Main 6RMI communications unit



Clip & hanging-hole for mounting the main 6RMI unit



Clip/Inserted plate/Spacer



Clip with sticker for option

Speakers/Boom Microphone/audio plug

The AC & USB Charger



Note: Different country may has different adaptor

Before using: Charging the 6RMI

Before using this device, Please charge the **6RMI** main device at least three hours.
We have provided you with the ability to charge the system via the USB port of your computer or if you are away on a trip, you can use the supplied Multi-voltage USB power adapter .
The charging cable has a small 2.5mm plug for the headset and the large USB plug for the computer or AC adapter, please observe to correct orientation of the USB plug and socket before inserting

1) Insert the 2.5mm plug of the charging cable, into the small charging jack of the **6RMI** , you can either charge by computer or AC adapter .
2) While charging, the red LED on the headset module will illuminate,
   when the charging is finished, the red LED will extinguish .

Note: *if you do not use the **6RMI** for **a month or more** , to protect the Poly-Li battery, please charge the **6RMI at least every month***. (the fault damaged by wrong charging will be not guaranteed).

Attaching and removing the BIM main unit on your helmet

With the clip, You can easily mount the main unit of the BIM on a helmet within 3 minutes.

Step:

1) find a best position on the **left** side of your helmet to put the clip
2) Insert the inserted plate between shell and foam of the helmet
   Fix the clip on the helmet **with the screws**
3) hang the main unit of the **6RMI** on the clip

Clip Inserted plate for clip Spacer

Insert the plate between the shell and the foam of a helmet, fix with screws



Clip fixed on helmet

6RMI mounted on a helmet

Note: 1) If the shell of your helmet is a little thick, you could put the Spacer between the clip and the inserted plate.

2) There are some helmets that the shell is very thick, maybe it is difficult to fix above clip on these helmets. In this case, you could use below clip with sticker

Front



Back

Attaching the two speakers and the microphone

The success of the system depends on the careful positioning of the earspeakers directly over top of the ear canals. this will give the best signal to noise of the received audio..

1) To find the position of your ear canals , put your helmet on firmly but don't do it up. Slide your thumb of one hand up between the inside of the helmet and your ear, with the fingers of that hand on the exterior of the helmet. Feel the ear canal in your ear with your thumb and then grip the helmet firmly between thumb and fingers of that hand, Carefully take the helmet off BUT don't move your thumb from its position inside the helmet. Look at where your thumb it ! this place marks the centre of the ear speaker ! Mount the Velcro pad to which the speaker will attach there, inside the helmet;

Check the other side for optimum ear speaker position.

2) Remove the protective backing of the Velcro and mount the Velcro pads in the correct positions , attach the two speakers on the Velcro inside your helmet, the speaker with **short** wire cord for **left** ear, the speaker with long wire cord for right ear.

the speaker with **short** wire cord cord for right ear

the speaker with long wire for **left** ear

Adjust the position of the microphone

Note: *To reduce the external noise, you need to close the visor while riding, and please adjust the position of the microphone to be right in front of your mouth with the foam just touching your lips , the visor should cover the microphone effectively! (Minimizes wind noise contribution)*

V

Correct position of the microphone

X

Wrong position of the microphone

3) Plug in the positioned headset to the communications module and attach it to the side of the helmet .

Operation:

The operation is friendly and very easy.

Pairing with your Bluetooth phone for the first time

Note: *You must have a Bluetooth enabled phone to "Pair" with the 6RMI*
The rider and pillion pairing their headsets with their respective mobile phone should be at different time,
Before using the 6RMI, please familiarize yourself with Bluetooth function of your cell phone. Read the instruction

manual that came with the phone so you can enable its Bluetooth function.

Before you can use this **6RMI** in combination with your phone , you will need to “pair” it with your cell phone for the first time. This usually only needs to be performed once with that individual phone however follow the instructions supplied by the phone manufacturer and save the “pairing” so it will be automatically connected when this Phone and the **6RMI** come into contact again.

1) Enable the Bluetooth function on your cell phone. Short press(< 1 second) Reset key on the **6RMI**.
2) You must place the **6RMI** in “Pairing mode”, this is done by way of a holding down the Power/Interphone key on the headset, until the red & blue LED flash alternately.
3) Begin the “searching for Bluetooth device” on the cell phone according to the phone’s instructions
4) when the **6RMI** is discovered, the cell phone will display **MOTOR PHONE** select this and accept the connection
5) The cell phone will ask you to input a password to enable this connection , when prompted input password : 0000 (four zeros)
6) Your phone will confirm that pairing has succeeded. Note that the only light showing on the headset is now the blue one and it will flash once every 5 seconds

Basic 6RMI Operation

Turn on Short press(< 1 second) Reset key on the BIM.

press the Power/ RIDER A key for 6 seconds or so , until the blue lamp illuminate, promptly release the Power/Interphone key, then the blue led will flash every 2-5 seconds, and you can see that on the screen of your cell phone the **6RMI** will ask your cell phone to connect with it , select ”yes” on your phone then they will connect each other.(for some phones, you will have to connect the **6RMI** by the phone)

Turn off press the Power/Interphone key for 6 seconds or so , until the blue lamp long illuminate, promptly release the Power/RIDER A key then the blue led will extinguish.

Increase the volume Short press of the V+ key

Reduce the volume Short press of the V- key

Re-connect the cell phone For some reason(e.g. In some regions of high RF strength), may the **6RMI** will lose connection with the cell phone, a short press on the Phone/Play key, they will connect each other again.

Safe Cell phone calls function

1) Receive a cell phone call automatically

When income a cell phone call, you will hear the ring on the cell phone and about 3-5 seconds later, the **6RMI** will receive the call automatically.

2) Terminate cell phone call

When you finish talking on the cell phone ,a short press the Phone/Play Key, will terminate the call.

3) Reject a cell phone call

When income a cell phone call, you will hear the ring, within 1 second immediately press the Phone/Play key about 2 seconds, it will reject the call.

4) Make a cell phone call Dial a number on your phone as normal, (but don't do this if you are on road for your safety) the sound will be automatically heard in your headset

notice: some phones, like Panasonic x70, will not send the audio to the headset, you may have to press the Phone/Play key to transmit the sound to your headset

5) Dial the last number Press the Phone/Play key 2-3 seconds, it will dial the phone number that you dialed last time.(**note**: some cell phone do not support this function)

Interphone Function

Set up for bike- to- bike and rider-to-pillion intercom: pairing

Pairing is a one time process that is required for mutual recognition between a **6RMI** and other 6RMIs or bluetooth devices. once the two headsets are paired, they will retain paired whenever they are within range.

Please note that you can speak via intercom to one buddy headset at a time.

Pairing these riders seems a bit complicated, but using the intercom is very simple ☺

Tips: simple pairing

Maybe you only need to communicate with a person (a rider or a passenger) , you can simple pair two **6RMI**s according to below 1) b). For this simple using, you could skip other pairing method.

Note:

a. when you are pairing two **6RMIs,** other **6RMI**s must be in status of power off.
b. You could pair your **6RMI** with maximum total five **6RMI**s , you also could only pair with one **6RMI.**
c. You could define other five **6RMI**s as rider A , rider B, rider C, rider D, rider E as you like.
   But please **note ! :** because the POWER/RIDER A key is a multifunctional key**,** so **once you have defined one of other 6RMIs as rider A, the method that pairing your 6RMI with rider A will be different to the way of pairing with rider B, C, D, E.**

1) Pair your 6RMI with rider A

a) If you define another 6RMI as rider A and this rider A define your 6RMI as his/her rider B or rider C,D,E

Define one of other **6RMI**s as rider A if you like.

To be sure that your **6RMI** and rider A(another **6RMI**) are in status of power off.

Short press(< 1 second) Reset key on your **6RMI** and on rider A, power on rider A(the blue LED of rider A will flash),please **note** that do not power on your 6RMI.

Simultaneously hold the POWER/RIDER A key on your **6RMI** and hold the B key (if rider A define your 6RMI as rider B)on rider A until the red & blue LED of the two pairing **6RMI**s flash, **short press** the POWER/ RIDER A key **on your 6RMI or** short press B key on rider A , 5-9 seconds later the red LED of both **6RM**s will extinguish and the blue LED then will flash briefly every 2-5 seconds, thus they have finished the pairing(now you could talk with rider A).

b) If you define one of other 6RMIs as your rider A and this rider A also define your 6RMI as his/her rider A

To be sure that your **6RMI** and rider A(another **6RMI**) are in status of power off.

Short press(< 1 second) Reset key on your **6RMI** and on Rider A, simultaneously hold the POWER/RIDER A key on your **6RMI** and hold the POWER/RIDER A key (if rider A also define your 6RMI as his/her rider A)on rider A until the red & blue LED of the two pairing **6RMI**s flash, **short press** the POWER/RIDER A key **on one of 6RM I**, 5-9 seconds later the red LED of both **6RM**s will extinguish and the blue LED then will flash briefly every 2-5 seconds, thus they have finished the pairing(now you could talk with rider A).

2) Pair your 6RMI with rider B or rider C, D , E

a) If you define one of other 6RMIs as your rider B or rider C,D,E and this rider define your 6RMI as his/her rider B or rider C,D,E

Power on your **6RMI** and power on rider B(if you define the one of other **6RMI**s as rider B),the blue LED of both **6RMI**s will flash, simultaneously hold the B key on your **6RMI** and hold the C key (if rider B define your 6RMI as his/her rider C) on rider B until the red & blue LED of the two pairing BIM's flash, **short press** the RIDER B key on your of 6RMI **or** short press the C key on rider B, 5-9 seconds later the red LED of both **6RM**s will extinguish and the blue LED then will flash briefly every 2-5 seconds, thus they have finished the pairing(now you could talk with rider B).

The way of pairing your **6RMI** with rider C, rider D, rider E is same with above procedure.

For example: **Pair your 6RMI with C**

Power on your **6RMI** and power on rider C(if you define the one of other **6RMI**s as rider C),the blue LED of both **6RMI**s will flash. Then simultaneously hold the C key on your **6RMI** and hold the B key (if rider C define your 6RMI as his/her rider B) on rider C until the red & blue LED of the two pairing BIM's flash, **short press** the RIDER C key on your of 6RMI **or** short press the B key on rider C, 5-9 seconds later the red LED of both **6RM**s will extinguish and the blue LED then will flash briefly every 2-5 seconds, thus they have finished the pairing(now you could talk with rider C).

b) If you define one of other 6RMIs as your rider B or rider C,D,E and this rider define your 6RMI as his/her rider A

To be sure that your **6RMI** and rider B(if you define the one of other **6RMI**s as rider B) are in status of power off.

Power on your 6RMI(the blue LED of your 6RMI will flash). simultaneously hold the B key on your **6RMI** and hold the POWER/RIDER A key (if rider B define your 6RMI as his/her rider A) on rider B until the red & blue LED of the two pairing BIM's flash, **short press** the RIDER B key on your of 6RMI **or** short press POWER/RIDER A key on rider B, 5-9 seconds later the red LED of both **6RMI**s will extinguish and the blue LED then will flash briefly every 2-5 seconds, thus they have finished the pairing(now you could talk with rider B).

3）Choose which rider you will talk with

Pairing these riders seems a bit complicated, but using the intercom is very simple ☺
After you have paired with all the **6RMI**s(you also could only pair with 1-4 riders), then you will can talk with one of the riders at a time.
STEP: after finishing the pairing procedure , confirm that all of **6RMI**s have been powered on.
Initiate an intercom call (a short press one of intercom key A,B,C,D,E on your **6RMI**), and then you can talk with one of rider A,B,C,D,E

For example: A short press(< 1 second) the C Key, promptly release your hand, you will hear a beep "di", then wait about 3-5 seconds you could talk with rider C. if then you short press the E key, it will change the communication to talk with rider E.

4) Pair with your pillion

One of **6RMI**s could be your pillion, the way of pairing and initiating an intercom call is same with above **1),2),3)**

Initiate/finish a interphone talk

Turned on your **6RMI** and other **6RMIs**, short press one of the intercom (A, B, C, D, E) key then wait about 5 seconds, and then you will be able to communicate with another rider or your pillion.
You only need a short press of same one of the intercom (A, B, C, D, E) key, to terminate communications
Changing a rider to talk is very easy, you only need to press another intercom(A,B,C,D,E)key and about 3 seconds later it will change to talk with another rider.
Note: to reduce power consumption, when you do not need to talk, don't keep your 6RMI on intercom state in a long time
Note: If two 6RMIs were out of range, they may will lose connection. when you come within range, you only need to initiate a intercom as normal.

Music /Audio function

1) listen to audio navigation info from a GPS which with a built in bluetooth transmitter

As an option product, the manufacturer can provide the exclusive bluetooth enabled Motorcycle GPS . this GPS has a built-in stereo bluetooth transmitter and can work with the **6RMI** very well.

a) Pair this GPS with your 6RMI

Be sure that the **6RMI** is in the status of power off.

Power on the GPS, hold the bluetooth key on the GPS until the red & blue LED flash.
Long press the POWER/Rider A key on the 6RMI, until the red & blue LED flash.
About several seconds later, the red LED of the GPS and the **6RMI** will extinguish at the same time, thus they have paired successfully.

b) Enjoy audio info of the GPS on the 6RMI.

Adjust screen tap sound and volume to an appropriate level on the GPS, then the user can enjoy the audio information by the **6RMI.**

Note: **please obey the bluetooth POWER ON sequence as below:**
6RMI first , then GPS.
please obey the bluetooth POWER OFF sequence as below:
GPS first, then **6RMI**

Note: Before you power off the GPS, please power off the bluetooth transmitter firstly.

2) Listen to stereo music from your A2DP enabled cell phone

Read the user manual of your cell phone carefully, if your cell phone is A2DP enabled, the **6RMI** can receive the stereo music from the cell phone.
Please note that only A2DP(stereo bluetooth) enabled cell phone can offer bluetooth music transmitting service.
You can use the Phone/Play key to pause/play the music from A2DP bluetooth devices.

3) Listen to music from some mono bluetooth enabled cell phone

Almost all of Nokia mono bluetooth enabled cell phone can offer bluetooth music transmitting service , but some model of other brand cell phone can not offer this service.
We do not promise that the 6RMI will support music function for all mono bluetooth enabled cell phones.
Step: confirm that your **6RMI** has paired with your cell phone; play the music on the cell phone, and then you can enjoy the music on your **6RMI**.
Note: for mono bluetooth cell phone, you can not use the Phone/Play key to operate the music, you only can operate the music on the phone.

4) listen to stereo music/audio info from a MP3 or a GPS by Wired method

2.5-3.5mm audio adapter cable

With the 2.5-3.5mm audio adapter cable attached, it will can be used for connecting your **6RMI** with a major of MP3. play the MP3, you will can listen to the music via the speakers of your **6RMI**.
NOTE1: when the **6RMI** is working in bluetooth status, it will mute the music of the MP3. bluetooth is prior. After bluetooth operation is finished, it will return to play the MP3 music.
NOTE2: you only can adjust the music volume on your MP3.

The way of listening to audio info from a GPS is same to listening to music from a MP3.

5) listen to stereo music from MP3 via external audio bluetooth transmitter

If you have a external audio bluetooth transmitter (it is easy to find this product in the market),insert the plug of the transmitter into the jack of the MP3.
Pair the transmitter with the **6RMI** according to the instruction manual of the transmitter.
Play the MP3 , you can listen to the music on your **6RMI**.

6) listen to audio navigation info from a GPS via external bluetooth transmitter

The way is similar to **5) above**.

7) listen to stereo music from MP3 which with a built in bluetooth transmitter

please familiarize yourself with Bluetooth function of your Bluetooth enabled MP3(**this MP3 must has Bluetooth transmitting function**). read the instruction manual that came with the MP3 so you can enable its bluetooth function. pair the MP3 with the **6RMI** according to the instruction manual of the MP3. play the MP3, you can listen to the music on your **6RMI**.

Auto switch between different operations

While talking by intercom or listening to music, if it incomes a cell phone call, the voice will be switched to "cell phone talking" state automatically. After the call has been hung up, the system will auto return to intercom talking or music playing state.
While listening to music, short press the RIDER A or RIDER B,C,D,E key, it will initiate a intercom talking. after terminating the intercom talking, the system will return to the music automatically.
Note: it might needs about 5 seconds to auto-return to "intercom talking" state after the "cell phone talking" has been hung up.

troubleshooting

1. not working

Could be a flat battery , charge the BIM 3 hours.

2. Reset

In some regions of high RF strength ie near high power TV transmitters ,GSM station or airport radars, these can overwhelm the CPU in the BIM causing it to latch up.

Short press(< 1 second) Reset key on the **6RMI** . when you turn on the **6RMI**, it will work normally again.

3. No sound

Physically check to see the headset cables are ok or the audio plug is real inserted in the jack ? swap with the other functioning **6RMI** to localize the problem . have you turned to volume too low?

4. Whistling of the speakers

If the microphone is too closed a speaker, the speaker will make a whistling, take the microphone away from the speaker, reduce the volume by the Volume-key , it will be ok.

5.Lose connection with the cell phone or music from the cell phone

for some reason(e.g. In some regions of high RF strength), maybe the **6RMI** will lose connection with the cell phone or music from the cell phone, a short press on the Phone/Play key, they will connect each other. or see the below **8.**

6. can not connect with your mobile phone

This **6RMI** can connect with a major of bluetooth enabled cell phone of main brand, but **we don't undertake that it can connect with all cell phone**. Before purchasing, please confirm that if the **6RMI** could connect with your cell phone.

7. auto-power off

To cell phone call, intercom, music these different using, This **6RMI** takes different Bluetooth profile. when

change between different using, it will change to the corresponding profile.

Some cell phone maybe do not take standard bluetooth profile, when it connect with the **6RMI**, some times it may cause turning the **6RMI** off when the **6RMI** are switching between three different state(call, intercom, music).

in this case, you could turn on the **6RMI** again by pressing the Power/Interphone key, and note that only make the

6RMI working on two profile.

8. Final solution

If the solution of above clause**1.- 7.**can not resolve the problem, turn your cellphone off (sometimes you may have to take off the battery of your cell phone and load the battery again) and your **6RMI**, then turn them on and pair them again.

9. .Lose connection between two 6RMIs

If two **6RMI**s were out of range, they may will lose connection. when you come within range, you only need to initiate a intercom as normal.

OTHER FEATURES

·Digital Signal Processor (DSP) Technology for wind noise cancellation
·Excellent performance at speeds up to the legal limit with a full face helmet
·Easily mounts to all full face and open face helmets

GENERAL FEATURE

·Up to 7 hours talk time when connected to your cell phone
·UP to 7 hours time when listening to music
· 500 mAh Li Polymer battery ·Standby time: 120 hours
·Charging time:~ 3 hours
·Chip brand: CSR

SPECIAL FEATURE

·All weather, rain and snow resistance

Thank you for using the 6 Riders Multi-Interphone !